SUMMARY FISHING RECORD Form 3600-63

Department of Natural Resources

| County | | 7 | Waters | | | • | |
|--|---|--------------------------------------|--|---|--|---|--|
| Oneida | | | | Killarney Lake | MWBC: 1520900 | | |
| Sampling Objective | *************************************** | 1 | Number a | nd Locations of Stations (Hab | oitat) | | |
| | Bass & panfish assessmen | nt | | | | Source | |
| | | | | Miles Actually Shocke | d = 6.0 | GPS | |
| Period Fished (Dates) | | | | Acre | s = 421 | MWB | |
| | | 1 | Total Miles of Shoreline = 9.4 | | | MWB | |
| 20-May-2011 | | | Total Miles of Shockable Shoreline = 9.4 MWB | | | | |
| GEAR | | | | | | | |
| Boomshocker (Hours) | |] | Γime | | | | |
| gamefish (6 miles) | | | X Night Day | | | | |
| all species (3 half-mile reach | | | | | | | |
| Visual Hours | Time of Day | Haul Seine (1 | Length) | Mesh Size | Area Covered | | |
| | | | | | | • | |
| Angling (Hours) | Time of Day | Mini fyke (N | lo. of | Mesh Size | Depth | | |
| | 1 | Net Lifts) | ivesii size | | Deptil | | |
| | | | | | | | |
| Minnow Seine (No. of | Area Covered | Gill Net (No. | o, of Feet Mesh Size | | Depth | | |
| Hauls) | | x No.of Lift | l l | | - · · · · · | | |
| • | | | , | | | | |
| Other (Hours or Lifts) Boomshocker(s) |): 1 Mini-boo | omshocker(s): | | Characteristics | - | | |
| Boomshocker(s) Dip Netter(s) | | omshocker(s): Dip Netter(s): | | Characteristics Water Temp: 59 | | | |
| Boomshocker(s) Dip Netter(s) | | | Size(s) | | Cat | ch/Unit | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species |): 2 | Dip Netter(s): | | Water Temp: 59 | Cate 10.23 /hour | ch/Unit 3.67 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye |): 2] | Dip Netter(s): Modal S | | Water Temp: 59 Size Range | | | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass |): 2 No. 22 | Dip Netter(s): Modal S 11.2 | | Water Temp: 59 Size Range 10.0 - 25.5 | 10.23 /hour | 3.67 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass | No. 22 3 | Modal S 11.2 | | Size Range 10.0 - 25.5 12.0 - 14.4 | 10.23 /hour | 3.67 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge | No. 22 3 | Modal S 11.2 | | Size Range 10.0 - 25.5 12.0 - 14.4 - | 10.23 /hour | 3.67 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill | No. 22 3 - | Modal S | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 | 10.23 /hour 1.40 / hour | 3.67 / mile 0.50 / mile | |
| Boomshocker(s) Dip Netter(s) PISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie | No. 22 3 - 4 | Modal S 11.2 - - - | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 | 10.23 /hour 1.40 / hour 1.86 /hour | 3.67 / mile 0.50 / mile 0.67 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch | No. 22 3 - 4 23 | Modal S 11.2 5.0 | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 | 1.40 / hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch | No. 22 3 - 4 23 5 | Modal S | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 | 10.23 /hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch | No. 22 3 - 4 23 5 3 | Modal S 11.2 - - 5.0 - | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 | 1.40 / hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile | |
| Boomshocker(s) Dip Netter(s) PISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch Pumpkinseed Yellow bullhead White sucker | No. 22 3 - 4 23 5 3 1 | Modal S | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 11.0 - 20.7 | 1.86 /hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile | |
| Boomshocker(s) Dip Netter(s) PISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch Pumpkinseed Yellow bullhead White sucker | No. 22 3 - 4 23 5 3 1 | Modal S | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 | 1.86 /hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour 1.15 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile | |
| Boomshocker(s) Dip Netter(s) PISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch Pumpkinseed Yellow bullhead White sucker Bowfin | No. 22 3 - 4 23 5 3 1 1 2 | Modal S | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 11.0 - 20.7 | 1.86 /hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour 1.15 /hour 2.31 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile 1.33 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch Pumpkinseed Yellow bullhead White sucker Bowfin | No. 22 3 - 4 23 5 3 1 1 2 2 | Modal S | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 11.0 - 20.7 23.4 - 24.4 | 10.23 /hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour 1.15 /hour 2.31 /hour 2.31 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile 0.67 / mile 1.33 / mile 1.33 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch Pumpkinseed Yellow bullhead White sucker Bowfin Golden shiner | No. 22 3 - 4 23 5 3 1 1 2 2 | Modal S | 25 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 11.0 - 20.7 23.4 - 24.4 | 10.23 /hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour 1.15 /hour 2.31 /hour 2.31 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile 0.67 / mile 1.33 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS | No. 22 3 - 4 23 5 3 1 1 2 2 | Dip Netter(s): Modal S 11.2 | 0 | Size Range 10.0 - 25.5 12.0 - 14.4 - 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 11.0 - 20.7 23.4 - 24.4 | 10.23 /hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour 1.15 /hour 2.31 /hour 2.31 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile 0.67 / mile 1.33 / mile 1.33 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch Pumpkinseed Yellow bullhead White sucker Bowfin Golden shiner OBSERVATIONS 1) Mortality: None. | No. 22 3 - 4 23 5 3 1 1 2 2 | Dip Netter(s): Modal S 11.2 | partly clo | Size Range 10.0 - 25.5 12.0 - 14.4 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 11.0 - 20.7 23.4 - 24.4 3.0 - 3.4 | 1.40 / hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour 1.15 /hour 2.31 /hour 1.15 /hour | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile 0.67 / mile 1.33 / mile 1.33 / mile | |
| Boomshocker(s) Dip Netter(s) FISHING RESULTS Species Walleye Largemouth Bass Smallmouth Bass Muskellunge Northern Pike Bluegill Black crappie Yellow perch Pumpkinseed Yellow bullhead White sucker Bowfin Golden shiner OBSERVATIONS 1) Mortality: None. 4) Stocking: 1,000 lg fgl | No. 22 3 - 4 23 5 3 1 1 2 2 1 walleye 10/29/2010 | Dip Netter(s): Modal S 11.2 | partly clo | Size Range 10.0 - 25.5 12.0 - 14.4 13.5 - 21.0 3.0 - 6.4 5.5 - 12.4 3.0 - 5.4 5.5 - 5.9 12.5 - 12.9 11.0 - 20.7 23.4 - 24.4 3.0 - 3.4 | 1.40 / hour 1.40 / hour 1.86 /hour 26.54 /hour 5.77 /hour 3.46 /hour 1.15 /hour 1.15 /hour 2.31 /hour 2.31 /hour 1.15 /hour 3) Reliabilty: High | 3.67 / mile 0.50 / mile 0.67 / mile 15.33 / mile 3.33 / mile 2.00 / mile 0.67 / mile 0.67 / mile 1.33 / mile 1.33 / mile | |



WISCONSIN DNR FISHERIES INFORMATION SHEET

LAKE: Killarney

COUNTY: Oneida

YEAR: 2011

The Department of Natural Resources surveyed Killarney Lake, Oneida County with a boomshocker on May 20, 2011. Killarney Lake is a soft water impoundment with a surface area of 421 acres, 9.4 miles of shoreline and a maximum depth of 8 feet. The water is dark-stained, and visibility of less than a foot reduced the electrofishing catch. The crew surveyed 6 miles of the shoreline, collecting gamefish on all 6 miles and all species on three, half-mile segments.




Figure 1. Length frequency distribution of 22 walleye captured during a survey of Killarney Lake, Oneida County, May 5, 2011.

Walleye

Walleye are being stocked annually by Killarney Lake Association (1,000 to 1,500 6-8 inch large fingerlings per year). We captured 22 walleye. Most fish were 10 to 14.9 inches, and the largest was 25.5 inches in length. A mode at 11.25 inches likely corresponds to 3-year-old fish stocked in 2008.

Bluegill

We captured 23 bluegill in Killarney. Most of the fish were under 6 inches, with a broad mode at about 5 inches.




Figure 2. Length frequency distribution of 23 bluegill captured during a survey of Killarney Lake, Oneida County, May 5, 2011.

Other Species

We captured 11 species of fish in our electrofishing sample of Killarney Lake. In addition to the species listed above, we caught 4 northern pike (13.5 - 21.0 inches), 3 largemouth bass (12.0 - 14.4 inches), 5 black crappie, 3 yellow perch, 2 bowfin (or dogfish), 2 white sucker, 1 pumpkinseed, 1 yellow bullhead and 1 golden shiner.

John Kubisiak, Fisheries Biologist Wisconsin Department of Natural Resources 107 Sutliff Avenue Rhinelander, WI 54501 (715) 365-8919

Email: JohnF1.Kubisiak@wisconsin.gov

MWBCODE: 1520900

YEAR: 2011 LAKE: Killarney COUNTY: Oneida Crew:

Timler Tobias Kiepke

| Walleye | | Largemouth Bass | | Northern Pike | | Bluegill | | Black Crappie | |
|----------|--------|-----------------|--------|---------------|--------|----------|------------------|---------------|------------|
| Length | i | Length | | Length | | Length | | Length | |
| Interval | Number | Interval | Number | Interval | Number | Interval | Number | Interval | Number |
| _ | | | | | | | | interval | - Trainbor |
| 7 | | <6 | | | | 0.0 | | 0.0 | : |
| 8 | | 7 | | | | 0.5 | | 0.5 | |
| 9 | | 8 | | 9 | | 1.0 | | 1.0 | |
| 10 | 3 | 9 | | 10 | | 1.5 | | 1.5 | |
| 11 | 9 | 10 | | 11 | | 2.0 | | 2.0 | |
| 12 | 1 | 11 | ' | 12 | | 2.5 | | 2.5 | |
| 13 | 2 | 12 | 2 | 13 | 1 | 3.0 | 2 | 3.0 | |
| 14 | 4 | 13 | | 14 | | 3.5 | 2 3 | 3.5 | |
| 15 | | 14 | 1 | 15 | | 4.0 | 2 | 4.0 | |
| 16 | | 15 | | 16 | | 4.5 | 5 | 4.5 | |
| 17 | 1 | 16 | | 17 | 1 | 5.0 | 5 | 5.0 | |
| 18 | | 17 | | 18 | | 5.5 | 2 5 5 5 | 5.5 | 1 |
| 19 | | 18 | | 19 | | 6.0 | 1 | 6.0 | |
| 20 | . [| 19 | ŀ | 20 | 1 | 6.5 | · | 6.5 | |
| 21 | • | 20 | i | 21 | 1 | 7.0 | | 7.0 | |
| 22 | - | 21 | ŀ | 22 | | 7.5 | | 7.5 | 1 |
| 23 | 1 | 22 | | 23 | | 8.0 | | 8.0 | |
| 24 | | 23 | , | 24 | | 8.5 | ĺ | 8.5 | |
| 25 | 1 | 24 | | 25 | | 9.0 | | 9.0 | 1 |
| 26 | .] | 25+ | | 26 | | 9.5 | | 9.5 | 1 |
| 27 | | | İ | 27 | İ | 10.0 | | 10.0 | • |
| 28 | | | | 28 | 1 | 10.5 | | 10.5 | |
| 29 | | | | 29 | | 11.0 | | 11.0 | |
| 30+ | | | | 30 | İ | 11.5 | | 11.5 | |
| | | | | 31 | Ī | 12.0 | İ | 12.0 | 1 |
| | | | | 32 | | 12.5 | | 12.5 | • |
| | | | | 33 | | 13.0 | | 13.0 | |
| | | | | 34 | ł | 13.5 | ľ | 13.5 | |
| | | | | 35+ | | 14.0 | | 14.0 | |
| | | | | | Î | 14.5 | | 14.5 | |
| | | | | | | 15.0 | | 15.0 | |

| Total | 22 | Total | 3 | Total | 1 | Total | T-4-1 | |
|-------|---------------------------------------|-------|---|-------|---|-------|------------|---|
| | · · · · · · · · · · · · · · · · · · · | | | 10tai | | Total | i otai | 5 |

| Other species | | |
|-----------------|-------|-----------|
| Observed | count | lengths |
| yellow perch | 3 | 3.0-5.4 |
| pumpkinseed | 1 | 5.5-5.9 |
| yellow bullhead | 1 | 12.5-12.9 |
| white sucker | 2 | 11.0-20.7 |
| bowfin | 2 | 23.0-24.4 |
| golden shiner | 1 | 3.0-3.4 |